

# State Attorneys General

A Communication from the Chief Legal Officers  
of the Following States and Territories:

Alaska \* Arizona \* Connecticut \* Delaware  
District of Columbia \* Guam \* Hawaii \* Idaho \* Illinois \* Indiana  
Iowa \* Maine \* Maryland \* Mississippi \* Nevada \* New Hampshire  
New Mexico \* New York \* Northern Mariana Islands \* Ohio \* Oregon  
Pennsylvania \* Puerto Rico \* Rhode Island \* Tennessee  
Utah \* Vermont \* Washington

March 14, 2014

John T. Standley, Chairman and Chief Executive Officer  
Rite Aid Corporation  
30 Hunter Lane  
Camp Hill, PA 17011

Re: Sale of Tobacco Products

Dear Mr. Standley,

The undersigned Attorneys General write to urge Rite Aid Corporation (Rite Aid) to follow the example set by CVS Caremark Corporation and to cease selling tobacco products in your retail stores throughout the United States.

State Attorneys General have long fought to protect their citizens, particularly youth, from the dangers of tobacco products. For example, in the 1990's, State Attorneys General sued the major cigarette companies for the harm their products caused. To resolve these lawsuits, in 1998 State Attorneys General entered into the Master Settlement Agreement (MSA) (as well as earlier settlements in four states) with the major tobacco companies, and a number of other tobacco companies are now also parties to the MSA. A principal goal of the MSA is to reduce underage tobacco use by discouraging such use and by preventing youth access to tobacco products. To help achieve that goal, the States devote considerable resources to the prevention of sales of cigarettes and other tobacco products to minors. With the protection of our States' citizens in mind, the undersigned Attorneys General write to urge you to cease selling all tobacco products.

Since 1964, over 20 million Americans have died prematurely as a result of smoking.<sup>1</sup> While most of these deaths were of adults with a history of smoking, 2.5 million deaths were of

---

<sup>1</sup> U.S. Department of Health and Human Services, *The Health Consequences of Smoking – 50 Years of Progress: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease

nonsmokers who died of heart or lung disease caused by exposure to secondhand smoke.<sup>2</sup> Tobacco-related disease is the leading preventable cause of death in the U.S., causing at least 480,000 premature deaths each year,<sup>3</sup> which is more than AIDS, alcohol, illegal drug use, car accidents, and firearm-related deaths combined.<sup>4</sup> Smoking causes heart disease, diabetes, and arthritis, increases the risk of stroke, is the leading cause of lung cancer, and also causes colorectal cancer, liver cancer, and cancers of the oral cavity, pharynx, esophagus, stomach, pancreas, larynx, cervix, bladder, and kidney.<sup>5</sup> Health care costs and productivity losses attributable to smoking cost the nation at least \$289 billion each year.<sup>6</sup>

There is a contradiction in having these dangerous and devastating tobacco products on the shelves of a retail chain that services health care needs. The availability of such products in a retail store that also serves as a pharmacy normalizes tobacco use; furthermore, selling tobacco products in the same store as smoking-cessation products is likely to increase impulse tobacco purchases among those trying to quit and undermines their efforts. In a recent year, nearly 70% of smokers said they wanted to quit; however, only approximately 4% were able to do so.<sup>7</sup>

The normalization and easy availability of tobacco products represent a significant threat to youth, who are particularly susceptible to social and environmental encouragements to use tobacco. Moreover, the sale of tobacco products in retail chains weakens the effect of media campaigns whose objective is to de-normalize the use of tobacco products. The Surgeon General's 2014 Report cited these hard-hitting media campaigns, such as the CDC's "Tips from Former Smokers" campaign and Legacy's truth® campaign, as a key factor in preventing smoking initiation and promoting quitting.<sup>8</sup> The CDC campaign prompted 1.6 million smokers to try to quit and helped more than 100,000 succeed.<sup>9</sup>

Preventing the initiation of young smokers is critical to reducing overall health damage and public health costs. Almost 90% of adult smokers start smoking by 18 years of age and 98% start by the age of 26.<sup>10</sup> Keeping youth from trying and starting to smoke thus makes it highly likely that they will remain smoke-free for the rest of their lives. At the current rate of youth smoking, 5.6 million Americans younger than 18 years of age who are alive today are projected to die prematurely from smoking-related disease.<sup>11</sup>

---

Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2014 ("Surgeon General's 2014 Report"), at 7.

<sup>2</sup> Surgeon General's 2014 Report at 676-78.

<sup>3</sup> *Id.* at 11, 659.

<sup>4</sup> Mokdad, A.H., Marks J.S., Stroup D.F., Gerberding J.L., *Actual Causes of Death in the United States*. JAMA: Journal of the American Medical Association 2004; 291(10):1238-45.

<sup>5</sup> Surgeon General's 2014 Report at 667-70, 688, 870.

<sup>6</sup> *Id.* at 12.

<sup>7</sup> [http://www.cancer.org/cancer/news/expertvoices/post/2012/11/14/mind-the-\(smoking\)-gap-those-who-want-to-quit-and-those-who-actually-do.aspx](http://www.cancer.org/cancer/news/expertvoices/post/2012/11/14/mind-the-(smoking)-gap-those-who-want-to-quit-and-those-who-actually-do.aspx)

<sup>8</sup> Surgeon General's 2014 Report at 812-14.

<sup>9</sup> *Id.* at i.

<sup>10</sup> *Id.* at 12.

<sup>11</sup> *Id.*

Rite Aid has demonstrated leadership in the area of tobacco control by entering into an Assurance of Voluntary Compliance with the Attorneys General in September 2004, and we appreciate your cooperation in working to reduce sales to youth. But now we ask you to take the next step and to stop all sales of tobacco products in your retail stores. Doing so would effectively bring us full circle, back from the time when a tobacco manufacturer could advertise that “More doctors smoke CAMELS than any other cigarette” to a time when cigarettes simply cannot be purchased from a business that sells products prescribed by doctors.

In 2010, the American Pharmacists Association urged pharmacies to discontinue sales of tobacco products.<sup>12</sup> In addition, the American Medical Association passed a resolution opposing the sale of tobacco products in pharmacies, and the American Heart Association, the American Cancer Society and American Lung Association have all called for banning tobacco sales in pharmacies.<sup>13</sup> Moreover, apart from CVS’s recent action, other major retailers such as Target and Wegmans have already decided to stop selling tobacco products, as have other independent pharmacy retailers and small chains. We ask that Rite Aid join those retailers in recognizing that eliminating the sale of tobacco products by retailers who service health care needs and reducing the availability of tobacco products represent important steps in reducing the harm caused by tobacco products in the United States and promoting public health.

For the reasons described above, we urge Rite Aid to cease selling tobacco products in its retail stores throughout the United States.


We look forward to hearing from you.



Eric Schneiderman  
New York Attorney General




Michael DeWine  
Ohio Attorney General



Michael Geraghty  
Alaska Attorney General



Tom Horne  
Arizona Attorney General



George Jepsen  
Connecticut Attorney General



Joseph R. “Beau” Biden III  
Delaware Attorney General

<sup>12</sup> American Pharmacists Association. Report of the 2010 APhA House of Delegates: discontinuation of the sale of tobacco products in pharmacies and facilities that include pharmacies. J Am Pharm Assoc. 2010; 50(4):417. <http://japha.org>

<sup>13</sup> Katz, M.H. *Banning tobacco sales in pharmacies: the right prescription*. JAMA: Journal of the American Medical Association 2008; 300(12):1451-1452.

Irvin Nathan  
District of Columbia Attorney General

Lenny Rapadas  
Guam Attorney General

David Louie  
Hawaii Attorney General

Lawrence Wasden  
Idaho Attorney General

Lisa Madigan  
Illinois Attorney General

Greg Zoeller  
Indiana Attorney General

Tom Miller  
Iowa Attorney General

Janet Mills  
Maine Attorney General

Douglas F. Gansler  
Maryland Attorney General

Jim Hood  
Mississippi Attorney General

Catherine Cortez Masto  
Nevada Attorney General

Joseph Foster  
New Hampshire Attorney General

Gary King  
New Mexico Attorney General

Joey Patrick San Nicolas  
N. Mariana Islands Attorney General

Ellen F. Rosenblum  
Oregon Attorney General


Kathleen Kane  
Pennsylvania Attorney General



César R. Miranda Rodríguez  
Puerto Rico Attorney General



Peter Kilmartin  
Rhode Island Attorney General




Robert E. Cooper, Jr.  
Tennessee Attorney General



Sean Reyes  
Utah Attorney General



William H. Sorrell  
Vermont Attorney General



Robert W. Ferguson  
Washington Attorney General